



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Annals of the Missouri Botanical Garden

VOL. 3.

APRIL, 1916

No. 2

A NEW *SENECIO* FROM JAMAICA ¹

J. M. GREENMAN

*Curator of the Herbarium of the Missouri Botanical Garden
Associate Professor in the Henry Shaw School of Botany of
Washington University*

In the spring of 1908 Dr. N. L. Britton and Dr. Arthur Hollick discovered in the Parish of St. Ann's, Jamaica, a vine-like *Senecio* which appeared to them to be different from any species recorded in this genus. The plant was designated temporarily by Dr. Britton as "*S. Hollickii*, n. sp." and generously submitted to the writer for examination. From the limited material available at the time the author was unable to find sufficient characters to separate it satisfactorily from *S. Swartzii* DC. Additional specimens have been secured since, and further information acquired as to the habit of the two plants concerned. The writer takes pleasure in confirming Dr. Britton's view and in placing on record the following description:

Senecio Hollickii Britton, sp. nov.

Caulis lignescens scandens usque ad 6.5 m. longus cortice griseo tectis; ramis floriferis teretibus striatis brunneis glabris vel parce pubescentibus; foliis alternis petiolatis ovatis vel lanceolatis 2.5–12 cm. longis 1.5–4 cm. latis superne sensim angustatis acutis integris vel remote subdenticulatis utrinque glabris subtus pallidioribus basi acutis vel subcordatis, margine plus minusve revolutis; petiolis 1 cm. vel minus longis glabris; inflorescentiis terminalibus cymosis

¹Issued September 30, 1916.

ANN. MO. BOT. GARD., VOL. 3, 1916.

parce pilosulis multicapitatis; capitulis circiter 1 cm. altis heterogamis; involucris subcylindratis calyculatis; involucri squamis plerumque 8 lineari-lanceolatis 7–8.5 mm. longis acutis glabris penicillatis; floribus femineis 4 ligulatis, ligulis oblongo-ellipticis 4–5 mm. longis 2.5 mm. latis, aurantiabus; floribus disci plerumque 7; pappi setis albis; achaeniis striatis superne pilosis.

Specimens examined:

Jamaica: rocky hillside, Union Hill, near Moneague, Parish of St. Ann's, alt. 450 m., 6–7 April, 1908, *Britton & Hollick 2729* (N. Y. Bot. Gard. Herb., photograph and fragment in Mo. Bot. Gard. Herb.), TYPE; Pramble, near Claremont, alt. 520 m., 22 Jan., 1898, *Fawcett & Harris 7032* (N. Y. Bot. Gard. Herb.); Soho, St. Ann, alt. 425 m., 11 May, 1915, *Harris 11983* (N. Y. Bot. Gard. Herb.).

The species here described, namely *S. Hollickii*, differs from *S. Swartzii* to which it is perhaps most closely related in inflorescence, involucre and floral characters, in being a vine instead of a shrub or tree, in having ovate or lanceolate instead of oblong or obovate leaves, in having a more conspicuous venation with the lateral nerves less divaricately spreading and thus forming a more acute angle with the midrib, in having shorter petioles, and finally in having pubescent instead of glabrous achenes. Mr. William Harris states, with reference to his No. 11983 from Soho, St. Ann, that it is a plant "climbing over shrubs and trees to a height of twenty feet."